


TYPICAL CROSS-SECTIONS



OPTIONAL - WITH APPROVED TEST

NOTES:

1. SURFACE DRAINAGE SHALL BE TO NEAREST STREET GUTTER.
2. THE OPTIONAL CROSS-SECTION MAY BE USED UPON SUBMISSION OF "R" VALUE TESTS TAKEN BY AN APPROVED LABORATORY. THE MINIMUM "R" VALUE SHALL BE 80.
3. WEED KILLER SHALL BE APPLIED IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATIONS.
4. SURFACE DRAINAGE TO ALLEY MAY BE ALLOWED ONLY BY WRITTEN APPROVAL OF THE COUNTY ENGINEER. HALF OF ALLEY SHALL BE REPAVED AS REQUIRED BY COUNTY ENGINEER.
5. A COMPLETE DRAINAGE PLAN AND PARKING STALL LAYOUT SHALL BE SUBMITTED TO COUNTY ENGINEERING DEPARTMENT FOR APPROVAL PRIOR TO ANY CONSTRUCTION.

Spec's By _____	COUNTY OF MADERA	Date 7-1-81
Drawn By <u>J. SHIELDS</u>		Scale NONE
APPROVED BY _____	PARKING LOT DETAILS	Drawing No. E-4C
REVISIONS		8/1/02